



BEARING-MALAYSIA SDN.BHD.



NTN TM623/22LLUA/22.2C3 Single Row Ball Bearings

Bearing No. TM623/22LLUA/22.2C3

TM623/22LLUA/22.2C3 Bearing 2D drawings and 3D CAD models

Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.23
EAN	4547359499575
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C3-Loose
Inch - Metric	Metric
Long Description	22.2MM Bore; 56MM Outside Diameter; 21MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C3-Loose Internal Clearance; Steel Cage;
Other Features	Deep Groove Polyacrylic Rubber Friction Seal



BEARING-MALAYSIA SDN.BHD.

Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	TM623/22LLUA/22.2C3
Weight / LBS	0.531
Inner Race Width	0 Inch 0 Millimeter
d	0.874 Inch 22.2 Millimeter
D	2.205 Inch 56 Millimeter
Outer Race Width	0.827 Inch 21 Millimeter
bore diameter:	22.20 mm
static load capacity:	9250 N
outside diameter:	56 mm
precision rating:	ISO Class 1
overall width:	21 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Double Sealed
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	21 mm
snap ring included:	Without Snap Ring
outer ring width:	21 mm
internal clearance:	C3
fillet radius:	0.5 mm
operating temperature range:	-40 to 120 ° C
manufacturer product page:	Click here
dynamic load capacity:	18400 N



BEARING-MALAYSIA SDN.BHD.